

RESPONSE
SN 09/733,402
PAGE - 10 of 19 -

REMARKS

In the Office Action, the Examiner noted that claims 1-54 are pending in the application, and that claims 1-54 are rejected under 35 U.S.C. §103. The Examiner also noted that the drawings are objected to because the first figure is not numbered. A replacement drawing which has been numbered is enclosed.

By this response, Applicants have amended claims 27-28 and 48, canceled claims 1-26 and 36-47, and claims 29-35 and 49-54 continue unamended. In view of the above amendments and the following discussion, Applicants submit that the claims pending in the application are believed to be non-obvious under 35 U.S.C. §103. Thus, Applicants believe that the application is in condition for allowance.

In the Specification

The Applicant has amended the specification to correct minor typographical and grammatical errors, correct reference designations to conform to the drawings, and update patent reference numbers that are incorporated by reference therein. The Applicant submits that such changes do not add any new subject matter.

In the Drawings

The Examiner has objected to the drawings. Specifically, the Examiner states "[t]he drawings are objected to because the first figure is not numbered." The Applicant believes the Examiner has mistakenly objected to the first figure (FIG. 1).

The Examiner's attention is directed to the originally filed first drawing FIG. 1, which clearly includes the reference designations as follows: FIG. 1, 100, 110, 112, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, and 150. Support for each of these reference numbers may be found in the Applicant's specification on pages 4-5. The Applicant respectfully requests the Examiner to particularly point out what the Examiner believes is missing (i.e., not numbered) from the drawing(s). Otherwise, the Applicant respectfully requests the Examiner to withdraw the objection.

RESPONSE
SN 09/733,402
PAGE - 11 of 19 -

II. REJECTION OF CLAIMS UNDER 35 U.S.C. §103(a)

A. Claims 1-11, 13-29, 31-39, 41-43 and 45-46

The Examiner has rejected claims 1-11, 13-29, 31-39, 41-43 and 45-46 under 35 U.S.C. §103(a) as being unpatentable over Hermann et al. (U.S. Patent No. 6,134,707, hereinafter "Hermann") and further in view of Tang (U.S. Patent No. 6,389,321, hereinafter "Tang"). The rejection is respectfully traversed.

1. Claims 1-11, 13-26, 36-39, 41-43 and 45-46

The Applicant has canceled claims 1-11, 13-26, 36-39, 41-43 and 45-46. Therefore the rejection with respect to these canceled claims is now considered moot.

2. Claims 27-29 and 31-35

The Applicant has amended independent claim 27 to further clarify the features the Applicant considers as being inventive. In particular, claim 27 recites:

"A method for programming one or more programmable logic devices, comprising:
programming a first file in a non-native format for programming said one or more programmable logic devices from a remote programmer source;
converting said non-native format programmable logic instructions into a second file having programmable logic instructions in a format native to said programmable logic device;
transferring said second file to a server comprising a processor board coupled to a plurality of functional elements, each said functional element comprising a programmable logic device coupled to a switching circuit;
executing said converted file, for identifying particular target files associated with said programmable logic devices, via a first bus coupled to said switching circuits;
enabling switching circuits associated with identified programmable logic devices; and
programming said identified programmable logic devices via a second bus coupled to said switching circuit." (emphasis added).

The test under 35 U.S.C. § 103 is not whether an improvement or a use set forth in a patent would have been obvious or non-obvious; rather the test is whether the claimed invention, considered as a whole, would have been obvious. Jones v. Hardy,

276035-1

RESPONSE
SN 09/733,402
PAGE - 12 of 19 -

110 USPQ 1021, 1024 (Fed. Cir. 1984) (emphasis added). Thus, it is impermissible to focus either on the "gist" or "core" of the invention, Bausch & Lomb, Inc. v. Bames-Hind/Hydrocurve, Inc., 230 USPQ 416, 420 (Fed. Cir. 1986) (emphasis added). Moreover, the invention as a whole is not restricted to the specific subject matter claimed, but also embraces its properties and the problem it solves. In re Wright, 6 USPQ 2d 1959, 1961 (Fed. Cir. 1988) (emphasis added). The combination of Hermann and Tang fail to teach or suggest the Applicant's invention as a whole.

In particular, the Hermann reference discloses a PCB 30 also includes an embedded controller 52 running interpreter software 54. The embedded controller preferably includes JTAG interface circuitry (not shown). A bus 56 is used to route programming signals from the embedded controller 52 to the IC 50 (see Hermann, col. 4, lines 56-60 and FIG. 1).

Further, the Tang reference merely discloses that "the microprocessor, which executes a program stored in the non-volatile memory (e.g., EPROM 608), specifies an address on an address bus (e.g., address bus 604), so as to store data on the data bus to memory (e.g., RAM 607). The programming data stored in RAM 607 can be provided to ISP controller 402 via data bus 603 under the control of microprocessor 605, which provides a control signal 610 ("read/write") for latching the data into ISP controller 402." (See Tang, col. 5, lines 61-65 and col. 4, lines 49-53).

However, the combination of Hermann and Tang fails to teach or suggest "transferring said second file to a server comprising a processor board coupled to a plurality of functional elements, each said functional element comprising a programmable logic device coupled to a switching circuit," or "executing said converted file, for identifying particular target files associated with said programmable logic devices, via a first bus coupled to said switching circuits," or "programming said identified programmable logic devices via a second bus coupled to said switching circuit."

That is, the Applicant's invention provides "[t]he processor 332 is electrically coupled to each circuit board 334 via board select bus 340 and a JTAG bus 342. In one

RESPONSE
SN 09/733,402
PAGE - 13 of 19 -

embodiment, the board select bus 340 is a parallel bus, while the JTAG bus 342 is a serial bus.

Each circuit board 334 comprises circuitry including a PLD 338 and a corresponding switching circuit 336. The PLD 338 interacts with other circuitry (not shown) on the circuit card 334 to perform some function, task, or plurality of tasks. The board select bus 340 and JTAG bus 342 are coupled to inputs of the switching circuit 336 and provide input signals to the switching circuit 336." (see Applicant's specification, page 10 lines 9-23 and FIG. 3).

Furthermore, the Applicant's specification further provides that:

"In step 412, the server receives the JBC file and the method 400 proceeds to step 414. In step 414, the processor (e.g., a plurality of processors arranged in a parallel) executes the JBC file to run the JBC program. In step 416, the JBC program identifies target files on each of the circuit boards having the programmable logic device (PDL). In particular, the JBC program is transferred over the board select bus, which is a parallel bus between the processor, and each circuit board coupled to the backplane. The executed program initially identifies those programming logic devices on the circuit boards that correspond to the JBC program (e.g., a particular programmable logic device type or family of devices of a specific manufacturer).

In step 418 the JBC program marks the identified target files (PDL's) by enabling the switching circuit on the circuit board. Specifically, the JBC program marks the PLD target files that require an upgrade (i.e., reprogramming). Once the switching circuit corresponding to the identified target files are set in an enabling mode, then, in step 420, the JBC program is transferred to the corresponding PLD's requiring an update via the JTAG bus. Specifically, in step 422, the switching circuits that have been enabled, transfer the JBC program from the processor board 332, via the JTAG bus, to the PLD. In step 424, the particular PLD's marked for an update receive the JBC program, whereupon the program is executed to modify the operational parameters according to the programming initially created by the programmer in the programmer object file (POF)." (see Applicant's specification, page 11, line 30 to page 12, line 26, and FIGS. 4A and 4B).

276035-1

RESPONSE
SN 09/733,402
PAGE - 14 of 19 -

Even if the two references could somehow be operably combined, the combination merely discloses a controller coupled to a programmable logic device via a control path and a data path. However, the combined references fail to teach or suggest a each programmable logic device coupled to a respective switching circuit, or the steps of identifying particular target files associated with the programmable logic devices via a first bus coupled to said switching circuits, enabling switching circuits associated with identified programmable logic devices; and programming said identified programmable logic devices via a second bus coupled to said switching circuit. Therefore, the combined references fail to teach or suggest the Applicant's invention as a whole.

In light of the reasons given above, it is respectfully submitted that neither Herrmann nor Tang, either separately or in combination, teach, show, or suggest Applicants' invention as defined by independent claim 27. Accordingly, independent claim 1 is believed to be nonobvious and allowable under 35 U.S.C. §103.

Furthermore, claims 28-29 and 31-35 depend directly or indirectly from independent claim 27 and recite additional features thereof. As such, and at least for the same reasons set forth above with respect to Applicants' independent claim, the Applicant submit that these claims are also non-obvious and allowable under 35 U.S.C. §103. Therefore, the Applicant respectfully requests that the rejections be withdrawn.

B. Claims 12, 44, 47-50 and 52-54

The Examiner has rejected claims 12, 44, 47-50 and 52-54 under 35 U.S.C. 103(a) as being unpatentable over Hermann, Tang and further in view of Sasaki (U.S. Patent No. 6,198,304, hereinafter "Sasaki"). Applicants respectfully traverse the rejection.

1. Claims 12, 44, and 47

The Applicant has canceled claims 12, 44, and 47. Therefore the rejection with respect to these canceled claims is now considered moot.

RESPONSE
SN 09/733,402
PAGE - 15 of 19 -

2. Claims 48-50 and 52-54

The Applicant has amended independent claim 48 to further clarify the features the Applicant considers as being inventive. In particular, claim 48 recites:

"An apparatus for programming at least one programmable logic devices, comprising:

at least one circuit board respectively comprising said at least one programmable logic device respectively coupled to at least one switching circuit; a processor system coupled to said at least one switching circuit via a board select bus and a JTAG bus, said processor system for receiving from a remote source, a file in a format native to said at least one programmable logic device; and

wherein said processor system executes said file in a format native to said at least one programmable logic device, selectively enables said at least one switching circuit via the board select bus for programming an associated programmable logic device via said JTAG bus." (emphasis added).

As discussed above, the Herrmann reference discloses a PCB 30 also includes an embedded controller 52 running interpreter software 54. The embedded controller preferably includes JTAG interface circuitry (not shown). A bus 56 is used to route programming signals from the embedded controller 52 to the IC 50 (see Herrmann, col. 4, lines 56-60 and FIG. 1).

Further, the Tang reference merely discloses that "the microprocessor, which executes a program stored in the non-volatile memory (e.g., EPROM 608), specifies an address on an address bus (e.g., address bus 604), so as to store data on the data bus to memory (e.g., RAM 607). The programming data stored in RAM 607 can be provided to ISP controller 402 via data bus 603 under the control of microprocessor 605, which provides a control signal 610 ("read/write") for latching the data into ISP controller 402." (See Tang, col. 5, lines 61-65 and col. 4, lines 49-53).

Thus, the combined references merely discloses a controller coupled to a programmable logic device via a control path and a data path. However, the combined references fail to teach or suggest "said processor system executes a file in a format native to said at least one programmable logic device, selectively enables said at least one switching circuit via the board select bus for programming an associated programmable logic device via said JTAG bus."

RESPONSE
SN 09/733,402
PAGE - 16 of 19 -

That is, the Herrmann and Tang references fail to teach or suggest that a switching circuit is turned on and off via a first signal path, and the programmable logic device is programmed by sending program information via a second bus (i.e., JTAG bus) and the switching circuit, which transfers the information to the programmable logic device (PLD).

Furthermore, the Sasaki reference fails to bridge the substantial gap as between the two combined references and the Applicant's invention. In particular, the Sasaki reference discloses "a switching circuit connected to both of said two arrays of memory storage elements and said input node, and wherein said switching circuit selectively chooses which of said two arrays are addressed in response to signals at said input node." (see Sasaki, col. 21, lines 47-54).

Even if the three references could somehow be operably combined, the combination would disclose a controller coupled to a programmable logic device via a control path and a data path, and a switching circuit for selectively choosing which of said two arrays are addressed in response to signals from the controller. This is completely different from the Applicant's invention. The Applicant's invention uses a switching circuit to enable data to be sent on a second bus to the PLD. That is, the switching circuit of the Applicant's invention turns on and off the JTAG bus. By contrast, the combined references teach away from the Applicant's invention, since the PLD (of Sasaki) will always receive a data signal over the signal path via the switching circuit. That is, the switching circuit taught by Sasaki only provides a routing function, as opposed to enabling/disabling the signal path. Therefore, the combined references fail to teach or suggest the Applicant's invention as a whole.

As such, Applicants submit that Independent claim 48 is not obvious and is fully patentable under 35 U.S.C. §103 over the combined references. Furthermore, Claims 49-50 and 52-54 depend, either directly or indirectly, from independent claim 48 and recite additional features thereof. As such, and for at least the same reasons as discussed above with respect to independent claim 48, the Applicant submits that these dependent claims are also not obvious and patentable under 35 U.S.C. §103 over the

RESPONSE
SN 09/733,402
PAGE - 17 of 19 -

combined references. Therefore, the Applicant respectfully requests that the rejections be withdrawn.

C. Claims 30, 40 and 51

Claims 30, 40 and 51 are rejected under 35 U.S.C. §103(a) as being unpatentable over Tang, in view of technical paper from Altera Corporation published in May 1999, ver. 6 (hereinafter called "Altera").

1. **Claims 30 and 40**

The Applicant has canceled claims 30 and 40. Therefore the rejection with respect to these canceled claims is now considered moot.

2. **Claim 51**

Claim 51 depends from amended claim 48 and recites additional features thereof. In particular, claim 48 recites in part:

"An apparatus for programming at least one programmable logic devices, comprising:

at least one circuit board respectively comprising said at least one programmable logic device respectively coupled to at least one switching circuit; a processor system coupled to said at least one switching circuit via a board select bus and a JTAG bus, said processor system for receiving from a remote source, a file in a format native to said at least one programmable logic device; and

wherein said processor system executes said file in a format native to said at least one programmable logic device, selectively enables said at least one switching circuit via the board select bus for programming an associated programmable logic device via said JTAG bus." (emphasis added).

As discussed above, the combination of Hermann and Tang fail to teach or suggest the Applicant's invention as a whole. Specifically, the two references fail to teach or suggest the claimed feature of "wherein said processor system executes said file in a format native to said at least one programmable logic device, selectively enables said at least one switching circuit via the board select bus for programming an associated programmable logic device via said JTAG bus."

RESPONSE
SN 09/733,402
PAGE - 18 of 19 -

Furthermore, the Altera reference fails to bridge the gap as between the two references and the Applicant's invention. In particular, the Alera reference merely discloses that "[t]he Jam standard is a vendor- and platform-independent interpreted language optimized for programming devices via the IEEE std. 1149.1 (JTAG) interface. The Jam language allows a single Jam file (.jam) or Jam Byte-Code file (.jbc) to contain both the data to be programmed into a device and the algorithm required to accomplish programming." (see Altera, page 7, first paragraph).

However, the Altera reference in combination with the Herrmann and Tang references is completely silent with respect to the claimed feature of "wherein said processor system executes said file in a format native to said at least one programmable logic device, selectively enables said at least one switching circuit via the board select bus for programming an associated programmable logic device via said JTAG bus." Therefore, the combined references fail to teach or suggest the Applicant's invention as a whole.

Therefore, Applicants submit that claim 51 is not obvious and is patentable under 35 U.S.C. §103 over the combined references. Therefore, the Applicant respectfully requests that the rejections be withdrawn.

RESPONSE
SN 09/733,402
PAGE - 19 of 19 -

CONCLUSION

In view of the foregoing amendments and remarks, Applicants respectfully submit that the claims presently in this application are nonobvious under the provisions of 35 U.S.C. §103. Applicants believe that this application is in condition for allowance. Reconsideration of this application and its swift passage to issue are respectfully solicited.

If, however, the Examiner believes that there are any unresolved issues requiring adverse final action in any of the claims now pending in the application, it is requested that the Examiner telephone Eamon J. Wall or Steven M. Hertzberg at (732) 530-9404 so that appropriate arrangements can be made for resolving such issues as expeditiously as possible.

Respectfully submitted,

5/27/04

EJ Wall

Eamon J. Wall
Attorney for Applicants
Reg. No. 39,414
(732) 530-9404

Moser, Patterson & Sheridan, LLP
Attorneys at Law
595 Shrewsbury Avenue
Suite 100
Shrewsbury, NJ 07702